



# **Maximized Retention Electronic Monitoring Program Reviewer Guidance Manual**

**Video Review Protocols for Multispecies Sector Trips  
5/1/2022 to 4/30/2023**

In Accordance with NOAA Fisheries:  
Northeast Fisheries Science Center and  
Greater Atlantic Regional Fisheries Office

## **Table of Contents:**

	<b>Page Number</b>
Introduction to the Maximized Retention Program	1
Definitions	3
Reviewer IDs	5
Trip Level Elements	5
General Gear Categories and Codes	7
Haul Definitions by Gear Type	8
Catch Sorting and Processing	10
Haul Level Elements	11
Catch Handling Protocols	12
Species Identifications Standards	13
Species Verification Program	13
Creating a Discard Entry	15
Documentation of Fish Disposition	18
Event Documentation Standards	21
Submitting a Trip with No Data	33

## **List of Tables:**

	<b>Page Number</b>
Table 1: Trip Identifier Annotations	6
Table 2: Gear Categories Definitions and ACCSP Codes	7
Table 3: Elements of Haul Annotations in the EM JSON Submission	9
Table 4: Federally Managed Groundfish Species of the Northeast Multispecies Complex	14
Table 5: List of Fish Dispositions Codes and Descriptors	18
Table 6: Elements of Catch Entries in the EM JSON Submission	19
Table 7: Elements of "Other Events" in the EM JSON Submission	22
Table 8: Fishing Operations Event Descriptors	23
Table 9: Crew Specific Event Descriptors	26

Table 10: EM Specific Event Descriptors 29

**List of Figures:** **Page Number**

Figure 1: Example of a Trip Object in EM JSON Notation	5
Figure 2: Example of a Haul Object in EM JSON Notation	8
Figure 3: Example of Discard Annotations in EM JSON Notation	19
Figure 4: Example of Event Documentation in EM JSON Notation	21
Figure 5: Chart Depicting Point vs. Duration FOE's	25
Figure 6: Chart Depicting Point vs. Duration CSE's	28
Figure 7: Chart Depicting Point vs. Duration EME's	32
Figure 8: Example of a Trip with no Data in EM JSON Notation	33

**List of Appendices** **Page Number**

Appendix A: General Gear Category Diagrams	34
Appendix B: General Schematics of Vessel Layout	35
Appendix C: Primary Species Characteristics	36
Appendix D: Electronic Monitoring EM Detail JSON Technical Requirements	39

# Introduction to the Maximized Retention Program

Electronic Monitoring (EM) refers to the use of technologies, such as video cameras, gear sensors, and reporting systems, to monitor fishing operations, effort, and/or catch. In 2010, NMFS implemented Amendment 16 to the groundfish FMP and established annual catch limits and accountability measures for the fishery. Amendment 16 also included a requirement for groundfish sectors to implement and fund an at-sea monitoring (ASM) program, and regulations allow sectors to use EM to satisfy their catch monitoring requirements. The Greater Atlantic Region is assisting with the development of two EM models in the Greater Atlantic Region: the Audit Model and the Maximized Retention Model. This Guidance Document focuses on the Maximized Retention Model review requirements.

The New England Fishery Management Council developed Amendment 23 to the groundfish FMP. Amendment 23 is intended to adjust the groundfish monitoring program to improve the reliability and accountability of catch reporting in the commercial groundfish fishery, and to ensure the monitoring program is providing accurate catch information.

The New England Fishery Management Council adopted Amendment 23 to the Northeast Multispecies Fishery Management Plan at its September 2020 meeting. The measures approved in the amendment include higher levels of monitoring (i.e., 100 percent, contingent on available funding) and approval of both the Audit Model and Maximized Retention Model EM programs as optional tools to meet monitoring requirements. Following final action, NMFS must determine that the action is consistent with all applicable law, as required by the Magnuson-Stevens Fishery Conservation and Management Act. The target date of implementation of approved monitoring measures is May 1, 2022. Beginning in May of 2022, sectors can elect to use EM as their monitoring tool.

The Maximized Retention and Electronic Monitoring (MREM) program was first approved under an EFP in 2018 to evaluate the ability of EM paired with a human dockside monitoring (DSM) component to verify full retention of regulated groundfish. When Amendment 23 is implemented, MREM can be utilized by groundfish sectors to fulfill quota monitoring requirements. Under this model EM is used as a compliance and verification tool and biological data is collected at the dealer by the DSM. Reviewers are responsible for annotating: haul begin/end time elements, non-discard events, and recording non-compliant ACE discarding if observed.

Operational EM programs have core standards that must be consistent among providers, and between providers and NMFS reviewers, including: reviewer training, data elements, species identification protocols, documenting events, documenting video quality, and reviewing procedures. All primary reviewed EM trips are subject to editing by the agency. This is a quality control of the reviewer and service provider. Feedback is given to the reviewer and provider on reviewer protocol adherence and overall performance.

In order to provide data that can be meaningfully compared both among EM service providers and between NMFS and service providers, data must be collected using a standardized methodology. The purpose of this document is to provide guidance to video reviewers on items related to species identification, when and how to annotate discards, assigning an end disposition to the discards, and event documentation. This document also provides an overview of the general catch handling protocols for participating vessels and description of events. See page 3 for definitions of Vessel Monitoring Plans

(VMP) and multispecies Annual Catch Entitlement (ACE).

This reviewer document is not vendor specific, it provides guidance that applies to the Maximized Retention Model Program. Essentially, the goal of this document is to provide EM reviewers working for NMFS as well as outside company's cohesive instructions on how to review an EM trip. The goal in establishing these guidelines is to both provide data sets that can be compared for research and as a means for evaluating the performance of EM review companies. This document should be actively referenced by new reviewers and veteran reviewers alike. Should discrepancies between review methods become apparent it is the responsibility of the reviewer to alert NMFS staff so that a preferred method for handling discrepancies can be determined and documented here.

## Definitions

### Common Acronyms

<b>ASM:</b> At-Sea Monitor	<b>VMAN:</b> VMP Management Application
<b>DSM:</b> Dockside Monitor	<b>GARFO:</b> Greater Atlantic Regional Fisheries Office
<b>EFP:</b> Exempted Fishing Permit	<b>NMFS:</b> National Marine Fisheries Service
<b>EM:</b> Electronic Monitoring	<b>NEFSC:</b> Northeast Fisheries Science Center
<b>eVTR:</b> Electronic Vessel Trip Report	<b>TDQ:</b> Training and Data Quality Branch
<b>ITIS:</b> Integrated Taxonomic Information System	<b>NEFOP:</b> Northeast Fishery Observer Program
<b>JSON:</b> JavaScript Object Notation	<b>FMRD:</b> Fisheries Monitoring and Research Division
<b>VMP:</b> Vessel Monitoring Plan	<b>ACE:</b> Annual Catch Entitlement

### Terminology Used in This Manual

*Reviewer:* Any person trained and certified by NEFSC to view and analyze EM trips, hauls, or footage.

*Trip:* Defined as Port-to-Port deployments. The captain is required to submit an eVTR when the vessel returns to port for any reason (weather, mechanical failure, partial off-load, etc.). In the situation where a vessel returns to port, does not offload, and returns to sea to fish, the captain would be required to submit eVTRs for the two distinct fishing trips.

*Haul:* The deployment and subsequent retrieval of fishing gear.

*Fixed Gear:* Gears that are set to soak in a particular area, typically unattached from the vessel, and retrieved after a period of time that can range from less than an hour to more than a week.

*Mobile Gear:* Gears that are deployed from the vessel(s) and pulled through the water, before being retrieved and the contents emptied.

*Vessel Monitoring Plan:* EM service providers are tasked with submitting VMP's uniquely designed for individual vessel's participating in an EM program in the Northeast Groundfish fishery. The VMP is an essential document that serves as an operations manual for a given vessel that the captain and crew must adhere to whenever they are assigned EM coverage. The VMP describes how fishing operations on the vessel will be conducted and how the EM system and associated equipment will be configured to successfully monitor fishing activity. The VMP contains detailed information pertaining to vessel layout, catch handling processes, vessel information and operations outline, EM equipment set-up, contact information, and EM system malfunction.

With guidance from federal agencies, the EM vendor will collaborate with individual vessel participants to ensure that the VMP is structured to minimize error and data loss. Prior to operating in the groundfish fishery with EM activated in lieu of an at-sea monitor, VMPs must go through an approval process by GARFO and NEFSC. VMP's may be revised based on suggestions from captains or recommendations from stakeholders.

*Catch:* Any living or non-living items captured by gear, that is witnessed by vessel personnel or observed by a video analyst or sea-sampler, regardless of whether it is brought on board.

*Discard:* Any catch item that has been in contact with the fishing gear and is disposed of or returned to the sea.

*Impact to Review:* Items that may impact review include the inability to identify discards to species, track fish, or collect haul level elements.

## Electronic Monitoring Annotation

### Reviewer IDs:

Reviewers will be given a NMFS observer program identification number. These reviewer IDs will be used to identify which reviewer performed the primary review.

### Trip Begin and End Definitions:

A trip is defined as a Port-to-Port deployment. The captain is required to submit an eVTR when the vessel returns to port for any reason (weather, mechanical failure, etc.) The vessel does not need to land in the primary port listed in the VMP in order for a trip to be considered complete. In the situation where a vessel returns to port, does not offload, and returns to sea to fish, the captain would be required to submit eVTR's for two distinct fishing trips.

```
{
  "vessel_permit_num": 222222,
  "vessel_name": "Vessel B",
  "sail_timestamp": "2020-06-29T16:24:45.000Z",
  "land_timestamp": "2020-06-31T06:57:15.000Z",
  "vtr_docid": "22222220062901",
  "all_effort_confirmed": "Y",
  "comments": "string",
}
```

Figure 1: Example of trip object in EM JSON

Vessels are required to have a functional EM system for the duration of the trip. A functional EM system is defined as a system that continuously records activity on deck onto a hard drive or other suitable video storage device. The EM system consists of the control box, GPS or other sensors, and the cameras. Captains are required to turn the EM system on before departing a dock or mooring, keep the system running for the entirety of the trip and wait to power it off until after the offload and hold inspection is completed by the DSM.

### Sail Date:

The reviewer will annotate a timestamp when they see the vessel leaving the dock with the intent of going fishing. This can be when the vessel either tosses the dock-lines or when you see them steam away from a mooring.

If the reviewer cannot determine or track the departure location and the system is activated while underway, DO NOT annotate a SAIL\_DATETIME. The EME-SYSTEM NOT ACTIVATED AT DOCK event should be annotated when the video begins. This field should **only** be NULL if the EME-SYSTEM NOT ACTIVATED AT DOCK is annotated.

### Land Date:

The reviewer will annotate a timestamp when they see the vessel land at a dock, regardless if the vessel is intending to offload catch. The video should continue until the offload is complete and the hold is inspected.

If video ends prior to being able to verify the vessel landing DO NOT annotate a LAND\_DATETIME. If a video gap occurs and there is no footage of the vessel landing, but following the gap there is footage of the vessel offloading and the hold inspection, an EME-Video Gaps event should be annotated and the LAND\_DATETIME would be NULL. If the video ends prior to the hold inspection, the reviewer will submit an Incident Report.



**All Effort Confirmed Y/N:**

This trip level field is used to indicate if the EM system was functioning in a way that allowed the reviewer to confidently confirm all fishing effort (all hauls, all gear types) was reviewed. This field is looking for effort confirmation, *not* if catch can be tracked. Currently effort is verified via video and camera functionality. See below for examples of when this field would be marked Y or N.

**Examples of when All Effort Confirmed = Y:**

1. The EM system recorded full footage from dock to dock with no EM system issues (Video Gap, Camera Failure, System Failure).
2. Video gaps or a Camera Failure occurred on the trip but occurred either outside of fishing activity, or was brief enough so that fishing activity could still be reviewed confidently.
3. If footage begins when the vessel is still in the harbor or early in the steam, it can be confirmed that no fishing activity has been lost (i.e. land still in view).

**Examples of when All Effort Observed = N:**

1. If a prolonged video gap occurs during the trip, it cannot be verified that fishing activity did not occur during the gap.
2. If a video gap occurs and one or more haul elements cannot be recorded.
3. If a System Failure occurs during the trip or prior to the hold inspection.

Table 1: Trip Identifier Annotations

Name	Details/Instructions	Units/Format	Unknown Values
vessel_permit_num	federal permit number	6- digit code	Cannot be unknown
vessel_name	name of vessel	text	Cannot be unknown
sail_timestamp	Date and time vessel departs the docks/trip starts	YYYY-MM-DD hh:mm:ss	Can be null if departure is unknown
land_timestamp	Date and time vessel lands at to dock/trip ends	YYYY-MM-DD hh:mm:ss	Can be null if landing is unknown
vtr_docid	trip report number, report filed by captain, used as trip identifier	14-digit code	Cannot be unknown
all_effort_confirmed	Could all fishing activity be verified in review	Y/N	cannot be unknown
comments	any trip comments, general trip summary	text	can be left blank

## Gear Categories and Codes:

There are currently four gear categories operating in the multispecies EM programs. Each trip will have a primary gear used and possibly secondary gear used. EM gear codes will align with codes established by the Atlantic Coastal Cooperative Statistics Program (ACCSP). The ACCSP is the data warehouse for the Atlantic states and works to standardize data sets among federal and state fishery programs. Gear category definitions and ACCSP codes can be found in Table 2.

Some vessels use multiple gear categories on the same trip. The most common multi-gear scenario is a combination of a handline/auto-jig and either gillnet or longline gear. A commonly observed scenario is vessels testing the waters with the handline before setting out the gillnet or longline gear.

If a gear not found in Table 2 is used, there is no requirement to document the haul activity or any discarding. The reviewer is still required to watch the video to confirm the system is functioning properly. The only events required would be EM events such as video or sensor gaps and camera or system failures.

If a gear found in Table 2 is observed in video, the reviewer will document the fishing effort and associated catch consistent with normal video annotation described in this manual. **The target species does not need to be groundfish in order to collect fishing effort or catch information.** If groundfish catch is observed, the captain is required to process it accordingly. If the reviewer sees a gear type from Table 1 being used but it is not approved in the vessel's VMP, the reviewer should still annotate that gear's haul elements accordingly and annotate any discards seen. For example, if a gillnet vessel drops a handline and that gear is not listed on their VMP, the handline haul should still be annotated and discards marked. However, if a vessel hauls lobster traps, that gear and/or associated groundfish catch does not need to be marked as a haul since it is not listed in Table 2. See Appendix's A and B for gear and vessel diagrams.

Table 2: Gear Type definitions and ACCSP Codes

Gear Type	Definition	ACCSP Category	ACCSP GEARCATCD
Otter Trawl, Bottom	A funnel shaped net that is towed along the ocean bottom, behind one boat. Large doors deployed to aid in keeping the net on the bottom	Trawls	091
Gillnet	One net or a series of nets tied together between a weighted leadline and floatline creating a vertical barrier of netting in the water column.	Gill Nets	200
Longline	Fishing gear that is or is designed to be set horizontally, either anchored, floating, or attached to a vessel, and that consists of a main or ground line with three or more gangions and hooks.	Long Lines	400
Handline/	Long section of line that is spooled on a reel.	Hand	700

AutoJig	Generally will have a weight attached to a swivel towards the end of the line, with a shorter piece of line attached to a hook or a jig. The hook may be baited or fish shaped lures may be used.	Lines	
---------	---	-------	--

### Haul Definitions by Gear Type:

Below is how to document haul time elements for gear types observed on EM vessels. A date, timestamp, and GPS coordinates should be created for each of the given elements within the haul. The reviewer should do their best in determining when each element occurs. The haul definitions used by EM will mimic the At-Sea Monitor program’s gear specific definitions.

There may be instances where a haul element or series of elements cannot be annotated. Reasons may include missing video or the imagery is too corrupt to verify activity during that period of time. If one or more haul elements cannot be collected, for whatever reason, leave it blank or null and add a comment to the haul stating what occurred and why. DO NOT create a false annotation just to have a date/time entered.

```

{
  "haul_num": 1,
  "accsp_gear_category": "091",
  "start_haul_timestamp":
"2019-08-02T16:24:45.000Z",
  "start_haul_lat": 42.123456,
  "start_haul_lon": -67.123456,
  "end_haul_timestamp":
"2019-08-02T16:24:45.000Z",
  "end_haul_lat": 42.123456,
  "end_haul_lon": -67.123456,
  "obsid": X99,
  "delayed_catch_process": "N",
  "observed": "Y",
  "comments": "string"
}

```

Figure 2: Example of haul object in EM JSON

#### Bottom Otter Trawl:

**HAUL BEGIN:** First component of net deployed, i.e. net hits the water.

**HAUL END:** Hauling equipment put into gear with the intention of hauling back.

- Note: If the hauling equipment (i.e. winches) are not in view, the reviewer will use the wire from the winches to the trawl doors as the indicator of Haul End. When using the wire, look for rope or colored markings, as those will be most visible when the wire is in motion. Captains typically put depth markings on the wire that are visible on video. If the wire is not visible, the reviewer can mark the Haul End as when the trawl doors are fully up alongside the vessel. Please add a haul level comment if the HAUL END timestamp is from one of the scenarios described here.
- If the trawl net is deployed but not fished (i.e. doors not set out, net partially on reel, codend cleated to the side of the vessel), this would *NOT* count as a haul. No annotations are required for this type of event.

### Gillnet or Longline:

*HAUL BEGIN:* Hauling equipment put into gear or retrieval of gear commences.

*HAUL END:* When the last piece of the surface system (highflyer or buoy) is brought on board.

- Note: If the highflyer/buoy is left in the water floating beside the vessel, the haul will end when the line is cleated off. The vessel will likely set the same gear immediately and therefore not bring the gear completely onboard. Please add a haul level comment if this scenario is used to determine the HAUL END timestamp.
- Note: If the highflyer goes out of view and you do not see it come onboard, the haul will end when the last piece of rope comes over the hauler. Please add a haul level comment if this scenario is used to determine the HAUL END timestamp.
- If a gillnet string or a longline's mainline is broken/severed at any point and the vessel immediately retrieves the other end of the string and continues the haul, this would be considered one (1) haul. The second half of the string will only have one surface system (highflyer/buoy) and is a good indicator of a broken string. If another string is hauled in between the broken string, a new haul is created and the broken string would be counted as two (2) hauls.

### Handline or Auto-Jig:

*HAUL BEGIN:* Do not record haul begin information for handline gears.

*HAUL END:* When all rods are stowed and fishing has ceased. Vessel has started to steam home and the deck is being cleaned.

- During the haul, the vessel can pick up gear and steam around in search of fish. All jigging activity should be accounted for as one (1) haul.
- If the captain hauls another gear type, the jig haul would end and a new haul would begin with that new gear. A new haul is *NOT* created if gear is being set (i.e. longline or gillnet) and the jig(s) is still on deck with the intent of continuing being fished. If another rod/reel/jig is added to the current set being fished, this DOES NOT constitute another haul, but a continuation of the current haul.

Table 3: Elements of Haul Entries in the EM JSON Submission

Name	Details/Instructions	Units/Format	Unknown Values
haul_num	Ordinal number of the haul within the trip	integer	Cannot be null
ACCSP_gear_category	ACCSP gear category	3-digit code	Cannot be null, if unknown use '000'
start_haul_timestamp	collected by review platform when haul start is annotated	YYYY-MM-DD HH:MM:SS in ISO8601 format	Can be NULL if not observed by reviewer or necessary for gear type
start_haul_lat	collected by review platform	latitude in decimal	cannot be blank (but can

	when haul start is annotated	places, can be positive, negative, or 0	= 0)
start_haul_lon	collected by review platform when haul start is annotated	longitude in decimal places, can be positive, negative or 0	cannot be blank (but can = 0)
end_haul_timestamp	collected by review platform when haul end is annotated	YYYY-MM-DD HH:MM:SS in ISO8601 format	Can be NULL if not observed by reviewer
end_haul_lat	collected by review platform when haul end is annotated	latitude in decimal places, can be positive, negative, or 0	cannot be blank (but can = 0)
end_haul_lon	collected by review platform when haul end is annotated	longitude in decimal places, can be positive, negative or 0	cannot be blank (but can = 0)
obsid	Official Observer ID assigned by NEFSC to the reviewer.	3 character string (letter, number, number)	Required when start_haul or end_haul are not null
delayed_catch_process	Did delayed catch processing occur (always N for MREM)	Array (Y/N)	Cannot be blank
observed	Was the haul fully observed by the reviewer (Y/N)	Array (Y/N)	Cannot be blank
comments	Notes on a haul such as anything unusual that occurred, etc.	text	Can be blank

### Catch Sorting and Processing:

While hauling gear or immediately preceding a haul there is generally a period of catch processing. It is important to also review the catch processing period because the vessel may decide to discard fish originally marked as kept. For trawl vessels, this period occurs after haul back, when the net has been pulled from the water and the catch is dumped on deck. On fixed gear vessels this period often occurs while gear is being hauled and for some time immediately following. During this time fish are typically being gutted and stowed and discarding can occur as the quality of the fish is examined. No annotations are required indicating when processing has ended, but it is expected the reviewer watches all catch processing for possible discarding events.

## Haul Level Elements:

### Haul Observed Y/N:

Definition: Were all discard events in the haul viewable such that they could be adequately annotated by a video reviewer. "Adequately annotated," is defined as identification to the lowest taxonomic level possible. If video cuts out, is missing, or obstructed and the catch cannot be tracked confidently to determine end disposition, then that haul would be unobserved.

Purpose: Indicates all discards were accounted for on the haul.

A haul is OBSERVED=Y when the reviewer can adequately annotate discards within a haul.

A haul is OBSERVED=N when discards cannot be accounted for or tracked. The reasons for not being able to track discards include, but not limited to, video gaps, camera failure, system failure, bulk discarding, and dirty cameras. The appropriate EM, Fishing Operations, or Crew Specific event should be created. This indicates the reason(s) the haul was unobserved and corrections can be made and feedback provided to the vessel. For the types of events, see the Documenting Event Standards section.

The reviewer will review and annotate all video, hauls, and discards regardless of whether the haul will be OBS Y or N. The ability to track discards may be impacted but the video should still be reviewed. The reviewer should do their best at documenting discards when issues arise (improper catch handling, system image impairment issues, etc.).

### Delayed Catch Processing Y/N:

Vessels may elect to process their groundfish discards immediately as each animal is encountered; or process discards at the end of the haul after sorting is completed; or process discards together after several hauls. This last example is referred to as Delayed Catch Processing (DCP). MREM vessels retain the groundfish that would otherwise be discarded, thus this field does not apply in the program.

This haul field will always be DELAYED\_CATCH\_PROCESSING=N.

## Catch Handling Protocols:

Fish caught in the Multispecies Groundfish fishery can fall into three categories: allocated groundfish species, non-allocated groundfish species and species that do not have sector allocations and are non-groundfish. Depending on the designation of these species, captains will be responsible for handling individuals in different ways. See Table 4 for a list of groundfish species and which categories these species belong to.

Groundfish vessels participating in the MREM program will be retaining/landing all allocated groundfish, regardless of size. Non-allocated groundfish (Atlantic Wolffish, Atlantic Halibut, Ocean Pout, Windowpane Flounder) will be discarded at designated discard control point(s) outlined in the vessel's VMP. Non-allocated groundfish are not accounted for during MREM trip reviews, and thus do not require an annotation when discarded. Catch handling procedures will be documented in the VMP of each vessel and will vary slightly depending on the gear used by the vessel, the catch composition and the processing workflow (e.g., if the vessel has a cutting machine, conveyor, etc.). Reviewers should have access to the current VMP while reviewing trips and large deviations from the approved catch handling behavior should be noted in the review data.

Animals that are placed with kept catch or taken out of camera view for extended periods of time during hauling, or sorting phases of fishing effort should be considered as retained catch, please see the Documentation of Fish Disposition section for more details.

If an allocated groundfish is discarded at the hands of or as result of the crew, a catch entry shall be made. Discard weights are not collected (ESTIMATION\_METHOD=UNKNOWN), only provide a count. No entries are required for the non-allocated and non-regulated fish species. The vessel is allowed to discard these species, as long as it is in camera view at one of the discard control points. See Table 4 for a list of the groundfish species.

## Species Identification Standards:

During review of an EM trip, species identification will be required for any discard of an allocated groundfish species (Table 4). The ID characteristics used by the reviewer should be reflective of what is observed in the footage (see Appendix C for a list of common ID characteristics by species). Annotating discards at the species level is preferred, but may not always be possible due to instances such as diminished image quality, failing to discard at control points, or camera blocking.

The reviewer should make every effort to identify a catch item to species level (Table 4).

When an identification cannot be determined the reviewer will make an annotation of **FISH NK**. Examples of a FISH NK include groundfish that cannot be identified to the species, fish that could be a target species (i.e. a flounder of similar size to an ACE species but not a large animal) or fish that cannot be identified at all (i.e. a blur being tossed over, water drop over fish). Entries of identifiable non-groundfish (i.e. skates, dogfish, monkfish, crabs) should NOT be included in any FISH NK catch entry. Entries of FISH NK should be limited to any unidentifiable fish discards.

The reviewer should be able to eliminate and exclude species based on what is visible. The reviewer should take the time to make sure the fish cannot be identified and that any non-groundfish species have been ruled out.

There are a handful of hake species encountered by fishermen participating in the Multispecies Groundfish Fishery. Many of these hakes are difficult to distinguish morphologically in person and from video footage. Because White Hake is a regulated groundfish species that are difficult to differentiate from other dorsally-filamented hake (red, spotted, southern hakes), clearly documenting all of the individuals from these hake species is important for generating accurate estimates of the catch of White Hake. Each discarded dorsal-filamented hake that can be positively identified during MREM review will receive an annotation of **HAKE, RED/WHITE/SPOTD/SOUTHERN MIX**. Individuals that can be positively identified as Silver Hake or Offshore Hake should NOT be included as part of this tally because they are non-groundfish species (i.e. species that can be discarded without catch entries).

The only time the White Hake species code should be used is if the individual(s) are improperly discarded, of a large size, or are processed. These individuals are typically larger and easy to identify as White Hake. White Hake, when processed, has the heads removed. In addition to correctly identifying the species, a video analyst should be able to exclude similar species. A quick reference guide to species characteristics for regulated groundfish can be found in Appendix C.

## Species Verification Program:

Accurate species identification, including proper documentation of groundfish, is essential for evaluating catch data. In Fishing Year 2022, species verification of EM reviewers will be evaluated by FMRD using a quarterly quiz. Reviewers will be required to take and pass quizzes at the beginning of each quarter via the internet or meet additional criteria outlined below in order to participate in EM video review. Quizzes will include images of all 13 federally managed groundfish species (Table 4) and also include some other similar non-groundfish species. EM reviewers will be required to identify species and in some cases list characteristics necessary to properly identify the species in the image. These assessments are used to verify that EM reviewers can consistently identify groundfish species according to the protocols used in the EM review program and to correctly discriminate groundfish



from other commonly encountered non-groundfish species. EM reviewers must pass achieve a minimum passing score of approximately 85%, determined by the formula: (number of questions \* 0.85) rounded down to the nearest whole number. Quiz results are made available to EM reviewers and EM provider staff via the FMO Portal.

Table 4: Federally managed groundfish species of the northeast multispecies complex.

<b>Groundfish Species of the Northeast</b>			
<i>Common name</i>	<i>'Allocated'</i>	<i>'Regulated'</i>	<i>Allowable MREM discard</i>
Atlantic cod	Yes	Yes	No
Haddock	Yes	Yes	No
Pollock	Yes	Yes	No
White hake	Yes	Yes	No
Atlantic halibut <sup>†</sup>	No	Yes	Yes <sup>†</sup>
Winter flounder	Yes	Yes	No
American plaice flounder	Yes	Yes	No
Yellowtail flounder	Yes	Yes	No
Acadian Redfish	Yes	Yes	No
Witch Flounder	Yes	Yes	No
Ocean pout*	No	Yes	Yes
Windowpane flounder*	No	Yes	Yes
Atlantic wolffish*	No	Yes	Yes

\* Regulations prohibit retention, † Regulations allow the retention of a single individual, upgrading possible

## Creating a Discard Entry:

Since EM review is used as a compliance tool in the MREM program, the discard annotations are not as robust and typically occur less frequently to those in the catch estimation EM programs. Length and weight data are not collected via EM review. Since no length or weight data is collected, the grade code in catch data will always be entered as `GRADE_CODE = 01 (ROUND)`. Subsampling will not occur on MREM trips and should not be documented during review. There may be instances in which a high volume of discards are observed including: higher than usual Fish NK entries due to image quality issues or improper handling, vessels who are new to the program or have added a new crewmember and are yet to master MREM handling.

### General Discarded Groundfish Annotation Requirements:

Starting in fishing year 2022, there are several categories of allocated discarded fish that do not require a discard annotation. For mobile gear this includes fish that are seen escaping from the net during haulback, fall from the net and overboard while moving nets to checkerpens, wash overboard during haulback, fall from the net while setting gear, or wash overboard immediately after haulback. For fixed gears examples include fish that break-free at the water line, fish that fall from the hauler, fish that fall from a hook, and drop-offs. Additionally, if fish from a prior trip are seen falling from the net during the set of the first haul no annotations are required. Allocated groundfish that are handled by the crew and discarded will require a catch entry and an Incident Report to be submitted. One Incident Report will be filed per trip for allocated groundfish discarding regardless of how many are documented. Examples include when a crewmember tosses, kicks, sweeps, hoses, or shovels allocated groundfish or unidentifiable fish overboard. See the Documentation of Fish Disposition section for full details on annotation requirements.

### Annotating Discards on Deckloaded Hauls:

Occasionally, reviewers may see catch from multiple hauls combined in a checkerpen and sorted together. This practice is often referred to as Deckloading and can occur if the crew does not have time to finish sorting the prior haul before the next comes on board. If Deckloading occurs and the reviewer documents discards, the discard annotation(s) should be attributed to the most recently dumped haul. For example if there is catch from hauls 4 and 5 combined in a checkerpen, any discards that occur would be associated with haul 5. If the vessel empties catch into multiple checkerpens and the hauls can be distinguished, Deckloading has not occurred and discards can be attributed to the haul number they occurred on. Additionally, if the crew is cleaning catch from a prior haul and catch from a more recent haul is emptied into a checkerpen but there is no overlap of catch, Deckloading has not occurred.

### Hake Annotation Details:

As discussed in the Species ID Standards section, reviewers may encounter dorsally filamented hake (Red, White, Spotted, and Southern) species during EM review. However, under Amendment 23 only White Hake is required to be retained and processed on shore by a DSM. Given this, reviewers may see dorsally filamented hake discarded during review. All hake that are discarded will have a catch annotation using the [Hake, Red/White/Spotted/Southern Mix](#) species code. There are no Incident Reporting requirements for mixed hake discards since species identification cannot be consistently

determined using EM footage. If a hake that has been cleaned or processed (i.e. headed and gutted), a [Hake, White](#) species code annotation should be made. Any identified White Hake discards will be reported to as an Incident Report.

### **Protocols for Discards Observed During Offloads:**

Reviewers are required to review the entire offload to verify a hold inspection is completed by the DSM and to ensure no egregious discard events occur during the offloading process. During this time it is possible that small amounts of otherwise landed groundfish are seen being discarded with ice or seen falling from baskets during the transfer of catch from the vessel to the processing facility. These discards are considered part of normal operations and are inadvertent. For that reason these discards do not require an annotation or an event. In the instance egregious discarding is seen at the dock the reviewer should annotate a CSE-Bulk Discarding event at the first sight of the discarding. The reviewer should include comments in the event entry describing the species contents if identifiable as best they can. Offloads typically occur by the species which can be used to aid in fish identification. The CSE-Bulk Discarding event should not have a haul number attributed to it (entered as NULL or 0) since the event occurs outside of a haul. Examples of more egregious discarding that would require event documentation include, but are not limited to, the intentional dumping of totes of groundfish over the rails once at the dock or shoveling groundfish over rails or out of scuppers.

### **Protocols and Recommendations for Vessels with Cutting Machines:**

Commonly high volume vessels targeting gadids will utilize a fish cutting machine to increase efficiency during the processing of kept catch. It is important that reviewers examine the vessel's VMP prior to review to determine if a cutting machine is present and where it is located on deck. Occasionally, fish may fall, get thrown from, or wash under the cutting machine if a mechanical error occurs. This may result in the fish sloshing around on deck and washing out of a scupper. The crew are required to retain these fish, however, discards may occur. In the case these discards are observed, the reviewer shall create a catch entry. If multiple fish are observed washing out of the scupper at the same time a grouped entry can be annotated at the species level. There may be instances in which it is difficult to determine the end disposition of these fish, in that case the reviewer shall create a discard annotation with the DISPOSITION\_CODE = 900 (UNKNOWN KEPT OR DISCARDED). There may also be a CSE-Improper Catch Handling annotation affiliated with these discards if scuppers are not kept clear of debris or pooled water; please reference the Improper Catch Handling event definition for additional details. Keep in mind that not all catch processing may occur in the view of the cutting machine. Make sure all catch processing is reviewed and any discards annotated.

### **Protocols for High Volumes of Discards on MREM Trips:**

Under MREM protocols all length and weight data is collected at the dock by the DSM. MREM reviewers will rarely encounter high volumes of discards, and it is uncommon that these will be intentionally discarded. However in cases in which this is observed the reviewer should annotate the appropriate catch entry or event(s). Examples of when a high volume of discards or catch entries would be annotated includes: higher than usual FISH NK annotations due to dirty or out of focus cameras, or

vessels who have recently joined the MREM program or added a new crewmember who are yet to master MREM handling.

### **Protocol for Grouping Discards into a Single Catch Entry:**

Typically, reviewers will annotate discards as individual catch entries to account for the exact time the animal was identified and discarded during fishing operations. There are three circumstances when a reviewer can group multiple discards of one species classification into a single catch entry (UNIT\_COUNT >1 ). The following scenarios are common examples of when a reviewer will quantify multiple discards as a single species catch entry:

1. Any time a container of fish is discarded in one action and can be confidently quantified by the reviewer, a single catch entry that represents identified species will be submitted with a total count entered in the UNIT\_COUNT field. Discarded catch dumped from the container that cannot be classified to a regulated species will be counted and recorded as FISH, NK. Groundfish species that are identified should have a total count assigned to each catch entry.
2. UNKNOWN KEPT OR DISCARDED: Fish that land on deck or fall off sorting tables/conveyors and are not recovered or picked up by crew cannot be confidently tracked. If multiples of the same species are observed landing on deck and cannot be tracked a reviewer can assign disposition code 900 to catch entries with a UNIT\_COUNT > 1.
3. Fish that wash out of a scupper in a single instance can be annotated as 1 catch entry for each species observed, disposition code 099, and a UNIT\_COUNT >1.

## Documentation of Fish Disposition:

This section gives guidance on how to assign a catch item a specific disposition or fate. These fish disposition codes mimic what NEFOP observers use to describe why fish are discarded. The disposition code will be entered in for each catch item under the DISPOSITION\_CODE field of the EM Detail. A unique disposition code must be applied to each catch entry. The reviewer should make their best judgment as to which disposition code is best suited for the situation. These codes can be found in Table 5.

Table 5: List of Fish Disposition Codes and Description

Code	Description
031	POOR QUALITY, REASON NOT SPECIFIED
099	DISCARDED, OTHER
900	UNKNOWN KEPT OR DISCARDED

In the MREM program, any catch item that does not show visible damage and is actively discarded by crew, or makes contact with the deck and is discarded will have a disposition of **099- DISCARDED, OTHER**. This will be the most commonly used disposition code when reviewing.

Sometimes fish come aboard in less than preferred market conditions or have been damaged in some way (predation, sand flea, gear, etc.). As per program requirements and vessel's VMP, all 9 species of allocated groundfish must be retained, regardless of size and condition. This categorization includes any poor quality legal sized groundfish as a result of damage (i.e. LUMF) *and* any damaged sub-legal fish. If for some reason a poor quality catch item is discarded, the reviewer shall make an entry with the DISPOSITION\_CODE recorded as **031- POOR QUALITY** for that catch entry. This can be a FISH NK entry if an ID can not be made.

A common observation of EM reviewers are fish that interact with the gear but do not land on the deck of a vessel or are not handled by the captain/crew. These fish **do not** require a discard annotation. These fish are considered Not Brought On Board and are not included in catch accounting. Not Brought Onboard is defined as any fish that is entangled or caught in the gear with the intent of being landed or retained, but does not come in contact with the vessel and is assumed to be unaccounted for by the captain and therefore not included in the eVTR (i.e., drop offs).

Fish that are momentarily handled at the rail and are dropped or escape/slip from hand; fish that make contact with the deck and are then washed overboard or out a scupper; fish that are unhooked at the rail by the captain; or fish that the captain attempts to gaff should be documented as catch items with a DISPOSITION\_CODE= 099- DISCARDED, OTHER applied. These fish have been seen by the captain and therefore be included in the eVTR.

For catch items that the reviewer cannot determine the end status (kept or discarded) the DISPOSITION\_CODE should be recorded as **900- UNKNOWN KEPT OR DISCARDED**. Examples of this would be, but not limited to, fish that are left on deck and not physically discarded by the crew and not

deemed as kept; fish seen on deck and then washed out of camera view; fish physically taken out of camera view and never seen by the reviewer being kept or discarded. A piece count should be applied to the catch item(s). Identification to the lowest taxonomic classification is also required. If a catch item comes back into view and is observed discarded (discarded by crew, washes out of scupper, etc) the disposition will be updated to 099- DISCARDED, OTHER. Additionally fish with the 900 disposition code will not require an Incident Report since the end fate of the fish cannot be verified.

```

"discard_events": [
  {
    "haul_num": 1,
    "species_common_itis": "COD, ATLANTIC",
    "species_code_itis": 164712,
    "unit_weight": 0,
    "unit_weight_uom": "LB",
    "species_length": 0,
    "unit_length_uom": "CM",
    "unit_count": 1,
    "estimation_method": "UNKNOWN",
    "discard_timestamp": "2019-08-02T16:24:45.000Z",
    "discard_lat": 42.123456,
    "discard_lon": -67.123456,
    "disposition_code": "099",
    "grade_code": "01"
    "obsid": "X99",
    "comments": "string"
  }
],

```

Figure 3: Example of discard annotations in the JSON format

Table 6: Elements of Catch Entries in the EM JSON Submission

Name	Details/Instructions	Units/Format	Unknown Values
haul_num	sequential by order hauled	integer	can be null for discards that occur outside the haul
species_code_itis	Either collected by reviewer or transcribed by software when submitted	6-digit code	cannot be unknown, all discards receive an ITIS code
unit_weight	No weights collected in MREM program	integer	NULL in MREM program
unit_weight_uom	No weights collected in MREM program	text (LB)	NULL in MREM program

species_length	No lengths collected in MREM program	integer	NULL in MREM program
unit_length_uom	No lengths collected in MREM program	text ( <b>cm</b> , in, etc.)	NULL in MREM program
unit_count	1 is most common but there are instances >1 discard per entry is observed	≥1	cannot be unknown
estimation_method	No weights collected in MREM program	text	UNKNOWN in MREM program
grade_code	Market codes do not apply to MREM	text	01 in MREM program
discard_timestamp	collected by review platform when annotation is created	YYYY-MM-DD HH:MM:SS in ISO8601 format	cannot be unknown
discard_lat	collected by review platform when annotation is created	latitude in decimal places, can be positive, negative, or 0	cannot be blank (but can = 0)
discard_lon	collected by review platform when annotation is created	longitude in decimal places, can be positive, negative or 0	cannot be blank (but can = 0)
disposition_code	what was the fate of the discard (ex: not brought on board, damaged, etc.)	3-digit code	Cannot be null, if unknown use code '900'
obsid	observer/reviewer ID collected by review platform when annotation is created	3 character string (letter, number, number)	cannot be blank
comments	notes on a discard such as ID characteristics, reason for Fish NK, etc.	text	Can be null, requires comments if Fish NK

## Event Documentation Standards:

Occasionally, certain events will diminish the ability to obtain information and decrease the value of collected data. There are specific event types that respond to haul level observations and other events that apply to trip level concerns. Currently, there are three event types that require documentation. An event can either be a point or duration. A point event is an individual event annotated at the “first sight” of the event. A duration event begins at the “first sight” of the event and ends once the event has been resolved or when the haul has ended, depending on event type. For duration events that do not require documentation to be confined to between the beginning of a haul and end of processing and impact multiple hauls the reviewer should record the haul number as the first haul the event occurs on. Comments should include details on any other hauls that were impacted. For example if an EME-Video Gaps event is annotated during Haul 5 sorting, but Haul 6 is set during the gap, the reviewer would enter 5 as the haul\_id and comment that haul 6 was deployed. Overlap may occur for certain duration events that are documented at the haul level. Location information (collected in the timestamp) will be included with the event entry. All events will require comments describing the impact an event had on the trip or review.

```
"other_events": [  
  {  
    "event_category": "FISHING  
OPERATIONS",  
    "event_code": "BAG",  
    "event_duration": "PT4H10M20S",  
    "haul_num": 1,  
    "event_timestamp":  
"2019-08-02T16:24:45.000Z",  
    "event_lat": 42.123456,  
    "event_lon": -67.123456,  
    "obsid": "X99",  
    "comments": "string"  
  }  
]
```

Figure 4: Example of Event Documentation in the EM JSON file.

- Fishing Operations Specific (Table 8)
- Crew Specific (Table 9)
- EM System Specific (Table 10)

Events are processed to document a variety of specific issues or concerns and will be used to further determine if data quality was jeopardized within a haul or at any time of the trip. It is important to distinguish event types and provide notation because events can assist in rapidly responding to system malfunctions or improve catch handling techniques. See Tables 8-10 for examples of specific event types. The frequency and duration of the stated examples can disrupt workflow and in extreme cases render haul or trip level data unusable.



Table 7: Elements of “Other Events” in the EM JSON Submission

Name	Details/Instructions	Units/Format	Unknown Values
event_code	event code will be translated from review platform (ex: gear conflict = GEARCON)	text code	cannot be unknown
event_duration	how long an event spanned, difference between event start and end times	string (PT4H10M20S) in ISO8601	can be blank documented or PT0S for point events
haul_num	sequential haul number	number	only filled out if event occurs during a haul; can be null
event_timestamp	either timestamp of point event, or start of duration event	YYYY:MM:DD HH:MM:SS in ISO8601	cannot be blank
event_lat	either latitude of point event, or start of duration event	latitude in decimal places, can be positive, negative, or 0	cannot be blank (but can = 0)
event_lon	either longitude of point event, or start of duration event	longitude in decimal places, can be positive, negative or 0	cannot be blank (but can = 0)
obsid	observer/reviewer ID collected by review platform when an event is created	3 character string (letter, number, number)	cannot be blank
comments	summary or details of the event, cameras impacted, etc.	text	cannot be blank, all events require comments

## Fishing Operations Events:

Fishing Operations events have the potential to increase review time, make discards hard to track, and they can be related to slipped or tripped bags of catch and weather related issues. Reviewers will annotate FOE's as either point or duration events based on the descriptor and provide as much information as the reviewing software allows.

Table 8: Fishing Operations Event Descriptors

SLIPPED OR TRIPPED BAG	WEATHER INDUCED POOR VISIBILITY	OTHER OPERATIONS ISSUES
POOR LIGHTING/SUN GLARE	OPERATIONS INDUCED CAMERA DAMAGE	

**Slipped or Tripped Bag:** In the trawl fishery, sometimes the contents of a tow are released in the water or the catch is not fully brought onboard. A **tripped bag** indicates that the captain/crew made an intentional effort to release catch from the codend by either cutting through a large section of meshes, by setting the net out again to release the contents after surveying the composition of the bag on deck or by forcing the codend open off the stern or sides of the vessel to avoid a high amount of bycatch. A tripped bag can result from heightened safety concerns, mechanical issues, or because the catch is not the intended target species. **Slipped catch** (or bag) is the unintentional loss of catch. In both cases, the volume or amount of catch that is lost cannot be quantified in most cases and/or occurred out of camera view. This is a duration event. Comments should include any observations regarding potential causes, such as sustained gear damage, mechanical failure, or potential safety hazards, and the species composition of released catch that was not brought on deck and handled by the crew. Since a full account of the catch cannot be made (i.e. discards cannot be tracked confidently), the haul will be marked **OBSERVED=N** and no catch entries need to be made for fish seen in the water or falling from the gear during the event. If discards are seen outside of this event they should be annotated appropriately.

**Weather Induced Poor Visibility:** During fishing operations, reviewers will note when environmental conditions such as fog, high winds, or precipitation reduce image quality and impact video review at the haul level. Items that impact the review include the inability to identify discards to species or collect haul level elements. Typically, more than one camera is impacted. This event does not include when the lens or dome cover is foggy or hazy due to damage. Video review that is impacted by a damaged camera or dome cover would fall under EME-System Image Impairment. If the weather resolves during the trip and the cameras still have water on them (i.e. not cleaned after weather passed), a Crew Specific Event- Cameras Not Maintained should be annotated.

**Poor Lighting/Sun Glare:** During fishing activity (i.e. hauling, sorting, or processing catch) if sun glare or the deck lighting impacts the review, the reviewer will annotate this event. This event should be made when any lighting or shadows cause issues. This is a point event made at the first sight of the glare or lighting issue. The reviewer does not need to create multiple point events within a haul if the glare impacts data collection multiple times within a haul. Detailed comments should include how often the lighting/glare was an issue and what cameras were impacted. This event may lead to a haul being reported as OBS=N if discards cannot be adequately tracked due to the lighting, glare, or shadow issues.

**Glare:** Reviewers will document glare whenever video of fishing operations is impeded by the presence of sharp-bright deck light or sun glare. This should be included when the primary camera(s) used by the reviewer are affected by glare or if glare directly impacts species identification or catch handling.

Note: In the trawl fishery the primary camera changes throughout the haul. Examples include, but are not limited to: if glare is impacting the view of the net reels or stern during haulback and fish cannot be tracked; during catch sorting when discards cannot be tracked or identified.

**Poor Lighting:** Reviewers will document poor light conditions whenever video of fishing operations is affected by shadows or otherwise a lack of light that produces darker images of activity or fish.

**Operations Induced Camera Damage:** If a camera is damaged or destroyed as a result of fishing operations (ex: trawl doors, gear, booms, severe weather, etc. damaged a camera) this event should be annotated. This should be a duration event starting at the time in which the camera is damaged and extending to the end of the trip or when the issue is resolved. *The event will be all encompassing for the affected camera (ex: if video gaps are occurring as a result of camera damage, an EME-Video Gaps event does not need to be annotated). If EM system issues occur on other cameras in the system following the camera damage, the appropriate EM event should be annotated.* This may lead to one or more hauls being marked as OBS = N if overlapping views are not sufficient to capture activity and/or track fish. Additionally, if this event leads to the inability to confirm effort (i.e. a critical camera is damaged and haul cannot be determined, or the event triggers a prolonged video gap or camera failure) the ALL\_EFFORT\_CONFIRMED would = N. This event does not include instances where a camera appears out of focus due to pitting or scratches on the lens, that would be an EME-System Image Impairment event. This also does not include instances of camera/system tampering.

**Other Operation Issues:** This descriptor is designated for operational events that do not align with event descriptions listed in the Fishing Operations Event category. Events that are inputted as 'Other' can be either a duration or point event. A reviewer should document any unusual event that disrupts operations and/or impacts review. Detailed comments should be provided to help explain the situation. An example of an FOE - Other event is the net snagging on a scupper door when releasing catch on deck, subsequently opening the door and discarding catch (099). When annotating this event, also mark the haul as unobserved, create an *estimated* FISH, NK count entry with a description of catch composition, and create a *precise* count entry for any identifiable and easily countable groundfish discards (e.g. individual Cod, Haddock, etc), if applicable. Another example is when a vessel lands and only offloads lobster (i.e. no groundfish offloaded and no DSM seen).




Figure 5: Chart depicting point vs. duration Fishing Operations Events

### Crew Specific Events:

In order to have a functional EM program captains must follow their VMP. This includes being vigilant in keeping camera covers clean and clear of fish slime, water droplets, and/or encrusted salt spray and following the catch handling protocols. They are required to keep objects from obstructing camera views and must refrain from catch handling practices that disrupt the video analyst's ability to accurately collect data. Ensuring that these entries are made is critical as timely feedback is the only way to communicate to the captain's effectively (before a series of trips are recorded with undesirable conditions). Crew Events can be reported as either a duration event or as a singular-point event.

Table 9: Crew Specific Event Descriptors

CAMERA SYSTEM NOT MAINTAINED	IMPROPER CATCH HANDLING
BULK DISCARDING	OTHER CREW ISSUES

**Camera System Not Maintained:** Cameras must be monitored by vessel personnel throughout a trip. If any camera has water spots, fish slime, or anything on the lens and the reviewer's ability to ID discards to species or track activity on deck is directly impacted, an entry should be made. This is a duration event entry at the haul level when review is first impacted by the appearance of the liquid or debris on the dome cover and continues until the affected camera view is no longer being used, is cleaned during the haul, or there is no longer processing occurring on deck. This event may lead to a haul being reported as OBS=N if discards cannot be adequately tracked due to water spots, slime, debris, etc.

Note: If camera(s) are impacted by weather, a CSE-CAMERA SYSTEM NOT MAINTAINED is not necessary. The FOE-WEATHER INDUCED POOR VISIBILITY should be annotated instead.

**Improper Catch Handling:** This event is used to document general improper catch handling or when the vessel is not adhering to the VMP. This **DOES NOT** apply when allocated or unallocated groundfish are seen being discarded. Examples of when to apply an ICH event in MREM include, but are not limited to, discarding at a non-discard-control point, not properly stowing the sub-legal portion of the catch so that it can be sampled by the DSM, and letting catch wash out scuppers at a high rate or not keeping scuppers clear of debris such as totes, baskets, piles of non-groundfish catch, or pooled water. If a reviewer sees no attempt to retain fish left on deck, this event should be annotated. This event is annotated as a point at every occurrence.

Examples of when to apply a CSE - Improper Catch Handling. Please note this is not an exhaustive list. Reviewers should refer to the VMP to familiarize themselves with handling practices.

1. Fish that are discarded either out of camera view or not at a designated control point described in their VMP
2. Fish NK that cannot be identified due to catch handling (i.e. the inability to identify **is not** due to weather, cameras not maintained, a camera out of position, glare, etc.)
3. If sublegal groundfish are not stowed properly and are discarded. For example a tote of discards is left uncovered on deck and a gull consumes one or more.

Examples of when NOT to apply a CSE - Improper Catch Handling

1. Allocated groundfish that are handled and discarded. The catch entry implies improper catch handling. These are distinct catch entries with an Incident Report

- entered for the trip.
2. Allocated groundfish that do not require a discard annotation (see pg. 14).

**Bulk Discarding:** Refers to any action where a container (tote, basket, etc.) of fish is dumped overboard or when catch that is piled or layered on deck is swept or shoveled overboard during video review and the contents cannot be confirmed as a groundfish or non-groundfish species. The distinction between a pile and single layer should be made. Fish discarded in containers or in piles cannot be observed, counted, or properly accounted for. Fish discarded in a single layer that can be tracked and accurately counted, would not constitute an event. This is a duration event that should span the entire time discarding is occurring. Detailed comments within the event should fully describe the situation.

Since a full account of the catch cannot be made (i.e. discards cannot be tracked confidently), the haul will be marked **OBSERVED=N** and no catch entries need to be made for fish seen discarded during this event. If discards are seen outside of this event, they should be annotated appropriately. Other events may impact a reviewer's ability to verify piles of catch resulting in a Bulk Discarding event. It is important to include all events so the entire picture can be captured. Examples of event descriptors that could prompt Bulk Discarding include Cameras Not Maintained, Glare, Weather, etc.

If a bulk discarding event is observed during an offload, the reviewer shall annotate the event with the haul number entered as 0 or NULL. Since fishing has concluded no hauls need to be marked as OBS = N. This instance is the **only** exception to the OBS = N bulk discarding guidance.

Examples of Bulk Discarding:

1. Contents of the codend are dumped in a pile on deck then swept overboard by gear or crew and the contents cannot be identified or verified as only non-groundfish.
2. Contents of the net are shaken down and a pile of fish can be seen inside the codend and then the codend is then released into the water without the catch being processed or dumped on deck.
3. Contents within a checker-pen that has been moved to one corner or remains scattered in small piles on deck are then shoveled overboard and the contents cannot be identified or verified as exclusively non-groundfish.
4. Tote/container of unknown fish is dumped over.

Examples that are NOT Bulk Discarding:

1. Throughout the haul, verified non-groundfish are pushed to a corner or side of a checkerpen by a crewmember and then discarded in one action.
2. Fish discarded in a single layer that can be tracked and counted.
3. A mound or pile of catch that is separated into a single layer before discarding.
4. Tote/container of confirmed non-groundfish is discarded.
5. Tote/container of confirmed guts and no whole fish is discarded.
6. Tote/container of identified groundfish is discarded. This would warrant an incident report at the trip level.

**Other Crew Issues:** This descriptor should only be used if the event does not fit one of the above scenarios. Detailed comments should be provided to help explain the situation. This event can be either point or duration, the determination is to be made by the reviewer.




Figure 6: Chart depicting point vs. duration Crew Specific Events

## EM System Specific Events:

EM System Specific events reflect failures in the EM camera system and can result in loss of video and data. These events can be documented at any point in a trip, regardless of fishing activity or potential impacts to review. EM System Events include when there are video or sensor gaps, camera(s) or system failure, out of sync cameras, or when the EM system is not activated prior to departure. EM events can be reported as either a duration event or as a singular-point event. Include any comments that may help to explain the situation. EM System Events may impact the ALL Effort Confirmed field. For further guidance on when to annotate ALL Effort Confirmed as Y or N please refer to the definition and examples on page 6 or individual event definitions.

Table 10: EM Specific Event Descriptors

SENSOR GAPS	VIDEO GAPS	CAMERA FAILURE
SYSTEM FAILURE	CAMERAS OUT OF SYNC	CAMERAS OUT OF POSITION
SYSTEM NOT ACTIVATED AT DOCK	SYSTEM IMAGE IMPAIRMENT	OTHER SYSTEM ISSUES

**Sensor Gaps:** If at any point during a trip, the GPS or other sensors are not functioning according to the specifications in the VMP, an event should be created. The reviewer should know how often the system pings or collects GPS (i.e. once every x seconds) and what it looks like in the software to know when a gap occurs. The event should encompass the entire time the sensors are not functioning. Comments should be made describing what type of sensor and the impact to the review, if any. The ALL Effort Confirmed field should be marked as Y, as effort is confirmed via video.

**Video Gaps:** If any video is missing at any point in a trip, regardless of duration or number of cameras affected, an event entry should be made. The event should encompass the entire time the video is out or missing. Comments should be made describing any impact to the review. Hauls that could not be successfully observed should be recorded as OBSERVED = N. If a large or prolonged video gap occurs, do not assume all hauls were seen. See guidance on how to document prolonged video gaps below. Video Gaps refer to when the video goes out or cameras freeze BUT then comes back or resumes playing on at some point in the trip. If video remains out, document it as a Camera Failure.

**Guidance for Prolonged System Issues:** In the event that there is a camera outage (i.e. Video Gap or Camera Failure) and one or more hauls cannot be adequately reviewed or identified, reviewers shall follow the protocols outlined in this section.

If there is an EM camera malfunction and video of either a haul element(s) and/or catch processing cannot be viewed, the reviewer **should not** assume how many hauls occurred during the malfunction. Reviewers should continue haul documentation with the next sequential haul number. For example, if footage goes out during H9 sorting for 6 hours, the next haul that should be documented by the reviewer will be H10, regardless if other hauls occurred. This may result in one or both of the start and end haul times to be NULL for the impacted hauls. If video resumes, and catch sorting for the next sequential haul has not started (i.e. trawl gear is



deployed/in the water when footage resumes) the haul can be marked OBS = Y. However, if there is **any** footage of catch processing missing for the haul where the malfunction began, ended, or both, the haul(s) shall be marked OBS = N.

Examples of when a haul would be OBS = N include: if footage is missing during fixed gear hauls and catch processing is ongoing, or for mobile gear if footage ends or resumes while the crew is sorting, processing, or gutting catch, the net has been emptied into a checkerpen and catch is on deck, or during the measuring period. Any discards that are documented following the gap shall be attributed to the next sequential haul. In addition, reviewers shall enter the appropriate EM event (i.e. Video Gap, Camera Failure, etc.) and include detailed comments on what occurred.

**Camera Failure:** If video from one (1), multiple, or all cameras stop recording and no image is seen and persists for the duration of the trip an entry will be made. This event signifies that the camera was lost for the duration of the trip. This is a duration event and will be documented when the camera(s) first fails through the end of the trip. The comments should include which camera(s) failed and what was seen when the cameras went out. If the reviewer could not successfully observe the haul, the haul will be recorded as OBSERVED = N.

**System Failure:** If at any point during a trip, the complete EM system (all cameras and all sensors) fails and stops operating, an event should be annotated. This includes if footage ends prior to the vessel landing or conclusion of the hold inspection. This is a point event made when the system fails. Detailed comments should include what was occurring when the system failed and any impacts to the data. If this occurs during fishing activity, the haul should be marked as OBSERVED = N.

**Cameras Out of Sync:** If at any point during a trip the cameras are no longer in sync with each other, an event should be created. Cameras are out of sync when images are more than 5 seconds apart. This is a duration event and should encompass the whole time the cameras are not synced to each other.

**Cameras Out of Position:** If at any point during the trip, one or more cameras are knocked out of position (i.e. view is not identical to VMP or the reviewer observes the camera being hit and knocked out of place), an event should be created. This is a duration event and should encompass the whole time the cameras are not positioned correctly. The event may span several hauls if no corrective action is taken. If vessel personnel or an outside technician corrects the camera position the event would end. Detailed comments on which cameras were affected should be added to the event entry.

Note: Cameras mounted on booms must be positioned correctly once the vessel arrives on the fishing grounds.

**System Not Activated at Dock:** The EM system is required to be operational for the duration of the trip (departure from dock through the end of the trip, offload, and hold inspection by a DSM). If the video for a trip starts while the vessel is already underway an event entry should be made when the system begins recording video. Event comments will include what the reviewer sees when the video began and if any fishing activity occurred. This is a single point event and should be made when the video is first seen.

**System Image Impairment:** This refers to when the image has any issues that are caused by the EM

system. This includes out of focus images, melting/running images, pixelated images, or a decrease in image quality (see list below for details on what impairs an image) . Damaged dome covers also fall under this event.. This event should be annotated regardless of impact the review or data collection.

**Out of Focus:** Camera views or viewer screens should provide clear and unblemished images. Reviewers will assess camera views at the haul level and views that are blurry due to being out of focus and do not meet the manufacturer’s quality standards must be documented, regardless of impact. Causes can include lens damage such as pitting or scratches, condensation in the lens or dome, as well as a general loss of clarity.

Example of Out of Focus

1. If after examining the still images from the VMP, the camera does not match the supplied view and it is not due to water, salt, or slime.

Not an example of Out of Focus

1. If a camera is not maintained and water spots, dried salt spray, or fish slime are observed on the camera(s). This would result in a CSE - Camera System not Maintained

**Pixelization:** The reviewer will document video that has lost clarity as a result of pixelated images, defined as: The appearance of individual pixels and/or pixel blocks causing the individual pixels making up the image to become more prominent, thus causing a grainy appearance in the image.

**Melting/Running:** When the image colors blend and run together. The image appears to be melting down the screen.

**Other System Issues:** This descriptor should only be used if the event does not fit one of the above scenarios. Detailed comments should be provided to help explain the situation. This event can be either point or duration, the determination is to be made by the reviewer.




Figure 7: Chart depicting point vs. duration EM Specific Events

## Submitting Reviews without Data:

In some instances where an EM trip review is not possible, such as EM system failure or loss of a video data for an entire trip, the API will accept an abbreviated JSON submission that marks the trip as submitted.

In addition to the elements `vessel_permit_number` and `evtr_num`, the following elements are required: `all_effort_confirmed` (must be "N"), and `comments` (an explanation for the abbreviated review must be noted). Please note the `reviewer_id` or name of the individual submitting the JSON.


If there was a system malfunction an Issue should be entered in VMAN. If there was no hard-drive or data received for the trip an Incident Report should be filed by the provider.

```
{
  "vessel_permit_number": 222222,
  "vessel_name": "Vessel B",
  "evtr_num": 22222220062901,
  "all_effort_confirmed": "N",
  "comments": "No video on HDD; pre-trip
check completed, HDD appears to not have
been seated properly to record; tech visit
scheduled. Submitted by X99"
}
```


Figure 8: Example of a trip with no data in EM JSON format

## Appendix A: General Gear Category Diagrams


### Bottom Trawl:



### Gillnet:




### Longline:




## Appendix B: General Schematics of Vessel Layout



### Trawl:




### Longline:



### Handline/Jig:



### Gillnet:



## **Appendix C: Primary Species Characteristics**

### ***Atlantic cod***

- Speckled greenish-brown or reddish coloration
- Three dorsal fins
- White lateral line
- Prominent chin barbel

### ***Pollock***

- Solid blue gray dorsal color that fades to white along ventral surface
- White lateral line
- Three dorsal fins

### ***Haddock***

- Black lateral line
- Dusky black patch located above and behind pectoral fin
- Three dorsal fins

### ***White hake***

- Body rounded in front of vent
- Second dorsal and anal fin extend to tail stock
- Pelvic and dorsal fin rays present
- Pelvic fin rays do not reach vent

### ***Acadian Redfish***

- Body flame red
- Stout spines
- Bass or perch-like appearance

### ***Windowpane flounder***

- Left eyed
- Black and white spots on dorsal, anal, and caudal fins
- Ventral view body appears translucent
- Round overall body shape with pointed snout

### ***American plaice flounder***

- Right eyed, with large mouth
- Plain coloration
- Narrow caudal peduncle
- Rounded tail

### ***Witch flounder***

- Right eyed
- Upper side brown color often with black hue and dark margins along anal and dorsal fins
- Dark/black tipped pectoral fins
- Thin bodied

### ***Winter flounder***

- Thick bodied with light ventral side
- Small mouth
- Convex tail, thick caudal peduncle
- Right eyed

### ***Yellowtail flounder***

- Yellow mottled coloration on dorsal surface
- Protruding, upturned snout (dorsal side)
- Small mouth
- Convex tail

### ***Atlantic halibut***

- Right eyed
- Diamond shaped body
- Concave tail
- Underside white

### ***Ocean pout***

- Long slender body
- Broad, heavy head and large fleshy lips
- Long dorsal fin
- Rounded pectoral fin

### ***Atlantic wolffish***

- Bluish, gray color with broad dark bars covering length of body
- Large head with blunt snout
- Long dorsal and anal fins
- White underside



The following section illustrates identification characteristics of non-regulated finfish that are common bycatch in the Northeast groundfish fishery and also hold market value. These species do not require annotations but are included to assist in ruling out when vs. when not to annotate.

### ***Fourspot flounder***

- Left eye
- Four distinct ocelli present on dorsal surface
- Large mouth
- Ventral view appears translucent

### ***Red hake***

- Dorsal surface brownish to bronze
- Pelvic and dorsal fin rays present
- Body rounded in front of vent
- Pelvic fin rays do reach or slightly pass vent

### ***Silver/Offshore hake***

- Lower jaw projects beyond upper
- Wide mouth (sharp teeth may be visible)
- Dark gray dorsal surface but most of the body is silver in color

### ***Summer flounder***

- Left eye
- Many ocelli present on dorsal surface
- Large mouth
- Robust tail

## Appendix D: Electronic Monitoring EM Detail JSON Technical Requirements

<b>Description:</b>	<b>Trip review object</b>		
<b>vessel_permit_num*</b>	integer; The fishing vessel permit number.		
	<i>example: 222222</i>		
<b>vessel_name*</b>	string; The name of the fishing vessel		
<b>sail_timestamp*</b>	string; Date the trip left the dock in ISO1806 standard datetime format		
	<i>example: 2019-05-31</i>		
<b>land_timestamp*</b>	string; Date trip returned to dock in ISO1806 standard datetime format		
	<i>example: 2020-06-01</i>		
<b>vtr_docid*</b>	integer; Electronic Vessel Trip Report serial number (formerly trip_id)		
	<i>example: 12345619010102</i>		
<b>all_effort_confirmed*</b>	String; Was the total fishing effort for the trip captured and confirmed, Y/N		
	<i>Array [Y, N]</i>		
comments	string; Notes pertaining to this trip or EM review.		
hauls	<b>description:</b>	<b>Haul object for each haul of this trip</b>	
	<b>haul_num*</b>	integer; Ordinal number of the haul within the trip.	
		<i>minimum: 1</i>	
		<i>example: 1</i>	
	start_haul_timestamp	string(\$date-time); In ISO1806 standard datetime format	
		<i>example: 2019-08-02T16:24:45.000Z</i>	
	start_haul_lat	number(\$double); Latitude in decimal degrees	
		<i>minimum: 0</i>	
		<i>example: 42.123456</i>	
	start_haul_lon	number(\$double); Longitude in decimal degrees	
		<i>maximum: 0</i>	
		<i>example: -67.123456</i>	

	end_haul_timestamp	string(\$date-time); in ISO1806 standard datetime format <i>example: 2019-08-02T16:24:45.000Z</i>
	end_haul_lat	number(\$double); Latitude in decimal degrees <i>minimum: 0</i> <i>example: 42.123456</i>
	end_haul_lon	number(\$double); Longitude in decimal degrees <i>maximum: 0</i> <i>example: -67.123456</i>
	<b>observed*</b>	string; Was the haul fully observed? <i>Array [Y, N]</i>
	<b>delayed_catch_processing*</b>	string; Was catch processing delayed? <i>Array [Y, N]</i>
	<b>obsid*</b>	String; Official Observer ID assigned by NEFSC to the reviewer <i>Example: X99</i>
	<b>haul_num*</b>	integer; Indicates the haul from which this discard resulted, if known.
	<b>species_common_itis*</b>	string; See Reference Table 2 <i>example: COD, ATLANTIC</i>
	<b>species_code_itis*</b>	integer; See Reference Table 2 <i>example: 164712</i>
	unit_weight	number; Weight of the discard. <i>example: 1.5</i>
	unit_weight_uom	string; Unit of measure used when estimating the weight of the discard.
	species_length	integer; Length of discard. <i>example: 12</i>
	<b>unit_length_uom*</b>	string; Unit of Measure used to measure discard.

	unti_count	integer; Number of discards this record represents.
	<b>estimation_method*</b>	string; How was weight of discard estimated? See Reference Table 3  <i>example: LENGTH</i>
	<b>discard_timestamp*</b>	string(\$date-time); The date and time the discard occurred in ISO1806 standard format.  <i>example: 2019-08-02T16:24:45.000Z</i>
	<b>discard_lat*</b>	number(\$double); Latitude in decimal degrees  <i>minimum: 0</i>  <i>example: 42.123456</i>
	<b>discard_lon*</b>	number(\$double); Longitude in decimal degrees  <i>maximum: 0</i>  <i>example: -67.123456</i>
	<b>disposition_code*</b>	string; See Reference Table 4.
	<b>grade_code*</b>	string; ACCSP grade code indicating whether the weight represents round or dressed.  <i>example: 01</i>
	<b>obsid*</b>	string; Official Observer ID assigned by NEFSC to the reviewer.  <i>example: X99</i>
	comments	string; Notes that are specific to understanding this discard record.
	<b>event_category*</b>	string  <i>Array [FISHING OPERATIONS, CREW, EM SPECIFIC]</i>
	<b>event_code*</b>	string; See Reference Table 5.
	haul_num	integer; The haul within this event occurred, if known.
	<b>event_timestamp*</b>	string(\$date-time); Timestamp in ISO1806 standard format.  <i>example: 2019-08-02T16:24:45.000Z</i>

	<b>event_lat*</b>	number(\$double); Latitude in decimal degrees
		<i>minimum: 0</i>
		<i>example: 42.123456</i>
	<b>event_lon*</b>	number(\$double); Longitude in decimal degrees
		<i>maximum: 0</i>
		<i>example: -67.123456</i>
	<b>obsid*</b>	string; Official Observer ID assigned by NEFSC to the reviewer.
		<i>example: X99</i>
	<b>comments*</b>	string; Notes that are specific to understanding this event.

Reference Table 1 – Gear Types - Groundfish

ACCSP_GEARCATCD	ACCSP_CATEGORY_NAME	ACCSP_TYPECD	ACCSP_TYPE_NAME
000	NOT CODED	000	NOT CODED
091	OTTER TRAWLS, BOTTOM	004	TRAWLS
200	GILL NETS	006	GILL NETS
400	LONG LINES	008	LONG LINES
700	HAND LINES	013	HAND LINES

Reference Table 2: Species List - Groundfish

COMMON_NAME	SCIENTIFIC_NAME	SPECIES_ITIS
COD, ATLANTIC	GADUS MORHUA	164712
FLOUNDER, WINTER	PLEURONECTES AMERICANUS	172905
FLOUNDER, WITCH	GLYPTOCEPHALUS CYNOGLOSSUS	172873
FLOUNDER, YELLOWTAIL	PLEURONECTES FERRUGINEUS	172909

FLOUNDER, AMERICAN PLAICE	HIPPOGLOSSOIDES PLATESSOIDES	172877
FLOUNDER, WINDOWPANE	SCOPHTALMUS AQUOSUS	172746
HADDOCK	MELANOGRAMMUS AEGLEFINUS	164744
HAKE, WHITE	UROPHYCIS TENUIS	164732
HAKE, RED/WHITE/ SPOT/SOUTHERN MIX <sup>1</sup>	UROPHYCIS SP	164729
ATLANTIC HALIBUT	HIPPOGLOSSUS HIPPOGLOSSUS	172933
REDFISH, ACADIAN	SEBASTES FASCIATUS	166774
OCEAN POUT	MACROZOARCES AMERICANUS	630979
POLLOCK	POLLACHIUS VIRENS	164727
WOLFFISH, ATLANTIC	ANARHICHAS LUPUS	171341
FISH, NK	OSTEICHTHYES	914179

<sup>1</sup> HAKE, RED/WHITE/SPOT/SOUTHERN MIX: the reviewer should aggregate all unidentifiable hake (i.e., red, white, and spotted) discards and report them under “ HAKE, RED/WHITE/SPOT/SOUTHERN MIX”.

Reference Table 4 – Fish Disposition Codes and Descriptors

Code	Description
031	POOR QUALITY, REASON NOT SPECIFIED
099	DISCARDED, OTHER
900	UNKNOWN KEPT OR DISCARDED

Reference Table 5: Event Categories, Descriptions and Codes

EVENT_CAT	EVENT_DESC	EVENTCD
CREW	CAMERA SYSTEM NOT MAINTAINED	CAMMAINT
CREW	BULK DISCARDING	BULKDISC
CREW	OTHER CREW ISSUES	OCI
CREW	IMPROPER CATCH HANDLING	ICH
EM SPECIFIC	SYSTEM FAILURE	SYSTEM
EM SPECIFIC	CAMERA FAILURE	CAMFAIL

EM SPECIFIC	SENSORS GAPS	SENSGAP
EM SPECIFIC	VIDEO GAPS	VIDGAP
EM SPECIFIC	OTHER SYSTEM ISSUES	OSI
EM SPECIFIC	CAMERAS OUT OF SYNC	COS
EM SPECIFIC	SYSTEM NOT ACTIVATED AT DOCK	NAATDOCK
EM SPECIFIC	CAMERAS OUT OF POSITION	CAMKNOCK
EM SPECIFIC	SYSTEM IMAGE IMPAIRMENT	IMGIMPAIR
FISHING OPERATIONS	OTHER OPERATIONS ISSUES	OOI
FISHING OPERATIONS	SLIPPED OR TRIPPED BAG	BAG
FISHING OPERATIONS	WEATHER INDUCED POOR VISIBILITY	WEATHER
FISHING OPERATIONS	POOR LIGHTING OR SUN GLARE	LIGHTORGLARE
FISHING OPERATIONS	OPERATIONS INDUCED CAMERA DAMAGE	CAMDAMAGE

**Version History:**

Release Date	Description of Edits	V.
5/27/22	FY22 Data Specifications	1
7/15/22	Addition of guidance for deckloading and revised annotation requirement section to "Creating a Discard Entry"	2
1/18/23	Added clarifying language, secondary review update, edit to ICH examples	3